

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

Public Services – Sri S.Satish Chandra, the then Dy. Executive Engineer, PH., Sub-Dvin., Pulivendula, YSR District - Disciplinary Proceedings under Rule-20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 – Articles of charges - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.III-2) DEPARTMENT

G.O.RT.No. 904

**Dated: 21-12-2017
Read the following:-**

1. From Engineer-in-Chief, PH, Guntur, Lr.No.1396/CS2/V&E/VR-70/2017, Dt.26.04.2016 & 24.11.2017
2. G.O.Rt.No.896 MA&UD (Vig.III) Department, dt.21.12.2017

...

ORDER:

It is proposed to hold an inquiry against Sri S.Satish Chandra, the then Dy.Executive Engineer(PH), Pulivendula Municipality, YSR District in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges and statement imputations (Annexure-I & II). A list of documents by which, and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed (Annexure-III & IV).

3. Sri S.Satish Chandra, the then Dy. Executive Engineer (PH), Pulivendula Municipality, YSR District is directed to submit his written statement of defense with in (15) days from the date of receipt of this order.

4. Sri S.Satish Chandra, the then Dy. Executive Engineer (PH), Pulivendula Municipality, YSR District is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri S.Satish Chandra, the then Dy. Executive Engineer (PH), Pulivendula Municipality, YSR District retired is further informed that if he does not submit his written statement of defense on or before the date specified in para 3 above further action will be taken based on the material available.

6. Sri S.Satish Chandra, the then Dy. Executive Engineer (PH), Pulivendula Municipality, YSR District is informed that under Rule 24 of the Andhra Pradesh Civil Services (conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings it

(PTO)

::2::

will be presumed that S.Satish Chandra, the then Dy.Executive Engineer, (PH), Pulivendula Municipality, YSR District and now retired is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The Engineer-in-Chief, Public Health, A.P., Guntur is requested to serve the charge memo to the charged officer along with copies of documents as per Annexure-III and furnish the dated acknowledgement. If dated acknowledgement is not received in the stipulated time, he is requested to propose for initiation of disciplinary action against the responsible official and furnish the draft articles of charges against them without any delay.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri S.Satish Chandra, the then Dy. Executive Engineer (PH),
Pulivendula Municipality, YSR District – **through** the ENC (PH), A.P.,
Guntur (With request to serve & Return served copy to Government
immediately).

The Engineer-in-Chief, Public Health, A.P., Tadepalli, Guntur.
Sf/Sc.

// FORWARDED: : BY ORDER//

SECTION OFFICER